

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|------------------------------|------------------|---------|---------------------|
| L1 | 20 | 327/435.ccls. | US-PGPUB; USPAT | ADJ | ON | 2008/04/25 13:24 |
| L2 | 74623 | "327".clas. | US-PGPUB; USPAT | ADJ | ON | 2008/04/25 13:25 |
| L3 | 1240 | L2 and attenuator | US-PGPUB; USPAT | ADJ | ON | 2008/04/25 13:25 |
| L4 | 20 | L3 and (high frequency or MOSFET or MOS) switch | US-PGPUB; USPAT | ADJ | ON | 2008/04/25 13:25 |
| L5 | 5 | ((WILHELM) near2 (KRAEMER)).INV. | US-PGPUB; USPAT | ADJ | ON | 2008/04/25 13:25 |
| L6 | 191 | 327/306,308.ccls. and high frequency | US-PGPUB; USPAT | ADJ | ON | 2008/04/25 13:25 |
| L7 | 80 | "327".clas. AND (controllable or switchable or programmable) attenuator | US-PGPUB; USPAT | ADJ | ON | 2008/04/25 13:28 |
| S1 | 5 | ((WILHELM) near2 (KRAEMER)).INV. | US-PGPUB; USPAT | ADJ | ON | 2007/12/05 13:39 |
| S2 | 20 | 327/435.ccls. | US-PGPUB; USPAT | ADJ | ON | 2007/12/05 13:41 |
| S3 | 2 | ((("20020196098") or ("3,757,139"))).PN. | US-PGPUB; USPAT | OR | OFF | 2007/12/05 14:31 |
| S4 | 18 | ("3448293" "3532899" "3614477" "3902078" "4445055" "4712025" "4808859" "4831596"). PN. OR ("4896061"). URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2007/12/05 15:30 |
| S5 | 73315 | "327".clas. | US-PGPUB; USPAT | ADJ | ON | 2007/12/06 07:28 |
| S6 | 1219 | S5 and attenuator | US-PGPUB; USPAT | ADJ | ON | 2007/12/06 07:28 |
| S7 | 20 | S6 and (high frequency or MOSFET or MOS) switch | US-PGPUB; USPAT | ADJ | ON | 2007/12/06 07:29 |

| | | | | | | |
|-----|-----|--|------------------------|-----|----|------------------|
| S8 | 28 | ("3539831" "3590366" "4475169" "4476538" "4500845" "4521764" "5077541" "5432478" "5523712").PN. OR ("5880618").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2007/12/06 08:25 |
| S9 | 7 | ("5697069" "6281762").PN. OR ("6720850").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2007/12/06 10:09 |
| S10 | 279 | 327/308.ccls. | US-PGPUB; USPAT | ADJ | ON | 2007/12/06 11:20 |
| S11 | 784 | 327/306.ccls. | US-PGPUB; USPAT | ADJ | ON | 2007/12/06 14:53 |
| S12 | 10 | 327/306.ccls. and (MOS or MOSFET or FET) switch | US-PGPUB; USPAT | ADJ | ON | 2007/12/06 14:54 |
| S13 | 3 | ("5023569" "5160898" "5430335").PN. OR ("5859556").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2007/12/06 16:50 |
| S14 | 279 | 327/308.ccls. | US-PGPUB; USPAT | ADJ | ON | 2007/12/13 11:34 |
| S15 | 0 | S14 and correction device | US-PGPUB; USPAT | ADJ | ON | 2007/12/13 11:34 |
| S16 | 1 | 327/306,308.ccls. and correction device | US-PGPUB; USPAT | ADJ | ON | 2007/12/13 11:34 |
| S17 | 8 | 327/306,308.ccls. and high frequency switch | US-PGPUB; USPAT | ADJ | ON | 2007/12/13 11:35 |
| S18 | 189 | 327/306,308.ccls. and high frequency | US-PGPUB; USPAT | ADJ | ON | 2007/12/13 11:37 |
| S19 | 85 | S18 and (transmission or reflection) | US-PGPUB; USPAT | ADJ | ON | 2007/12/13 11:40 |
| S20 | 1 | 327/306,308.ccls. and high frequency properties | US-PGPUB; USPAT | ADJ | ON | 2007/12/13 13:11 |
| S21 | 1 | 327/306,308.ccls. and high frequency proper\$3 | US-PGPUB; USPAT | ADJ | ON | 2007/12/13 13:13 |
| S22 | 1 | 327/306,308.ccls. and high frequency proper\$4 | US-PGPUB; USPAT | ADJ | ON | 2007/12/13 13:13 |
| S23 | 80 | "327".clas. AND (controllable or switchable or programmable) attenuator | US-PGPUB; USPAT | ADJ | ON | 2007/12/13 13:25 |
| S24 | 0 | S23 and high frequency switch | US-PGPUB; USPAT | ADJ | ON | 2007/12/13 13:25 |
| S25 | 65 | S23 and switch | US-PGPUB; USPAT | ADJ | ON | 2007/12/13 13:25 |

4/ 25/ 2008 1:56:24 PM

C:\ Documents and Settings\ jpoos\ My Documents\ EAST\ Workspaces\ 10582993.w sp